





Kontenery Budowlane



Product Advantages

**Standard Size: 5900mmx2435mmx2896mm(external dimension)
5900mmx2435mmx650mm(package dimension)**

- 1.The panelized structure saves space for transportation and storage, reduces logistics costs, has a high degree of factory integration and low on-site workload.
- 2.The materials used all meet the relevant national requirements, anti-seismic level 8, wind resistance level 10, fire A level, high safety performance;Large living space, bright container house, breathable, sound insulation, heat preservation, so that users experience the warmth and comfort of "home".
- 3.Modular design, in the box size range, according to the demand for reasonable space design, in the basic module on the basis of arbitrary combination, unlimited expansion, to meet the space and modeling requirements.
- 4.Long service life, flat pack container house service life of more than 20 years, suitable for multiple turnover cycle use.

Autoryzowany Dystrybutor kontenerów budowlanych

Letter Of Dealer Authorization

Guangzhou Perfect Dream Modular House Co.,Ltd is a professional container house ,modular house ,shelter manufacturer , authorized to supply ,promote ,sell , contribute ,exhibit ,negotiate hold responsibility for after-sales service of himself products with direct factory price system。

we Guangzhou Perfect Dream Modular House Co.,Ltd ,hereby states

authorize that


P.P.U.H.Remix-Oil RemiszewskiPrzemysław
39-320 Przecław ul.Wenecka 1/11 kom.666-744-744

can participate sell with our all products and be the dealer from 27th
October 2024 to 27th October 2025




Flat pack Container House

Bill of Materials for Flat Pack Container House		
Demension	External dimension (LxWxH)	L5900mm×W2435mm×H2896mm
	Package dimension (LxWxH)	L5900mm×W2435mm×H650mm
Basic profile		a:1260kgs /set b:8sets/40HQ c: shipping date 3-7days
Design parameters	Service life	more 20years
	Fire pretection	Class A
	Wind resistance	Class 10
	Earth quake	Grade 8
	Roof live load	1.0KN/m²
	Ground live load	2.0KN/m²
Structure	Roof main beam	a: high-strength galvanized sheet SGH340 b: Main beam thickness 2.2mm, section height 178/195mm;
	Roof secondary beam	a: high-strength galvanized sheet SGH340 b: C70, thickness 1.2mm, section 70x40/30x15
	Bottom main beam	a: high-strength galvanized sheet SGH340 b:2.5mm, section height 160/180mm
	Bottom secondary beam	a: high-strength galvanized sheet SGH340 b: 0.8mm several-type beam, section YX-0.8*130*187mm
	Corner column	a: high-strength galvanized sheet SGH340 b: LxWxH 210×150×2536mm c:thickness 2.5mm
	Structure connection (Bolts)	a: M12×40 High-strength bolts b: 6 bolts are installed in each corner piece (8.8 levels)
Wall panel	Surface treatment	a: Electrostatic spraying plastic powder painting≥80μm b: Pearl white color
	Rock wool	a:75mm thickness b: Rock wool; Density 80kg/m³; Class A fire protection c: The connection of wall panel H type ; The thickness of steel sheet 0.35mm (inside and outside) d: The shape of wall panel: orange peel outside and flat inside f: Double-sided lamination, color pearl white; Summarize: 75mm+ rock wool 80kgs/m³+0.25mm
Roof panel	Roof waterproofing	a:Galvanized sheet 0.4mm b:White grey color c:PE coating d:180° overlap
	Insulation layer	a:The thicknes of glass wool 75mm b:Single-sided aluminum foil c:Density 12kg/m³, d:Combustion performance Class A
	Decorative layer	a:YX17-118-950 pressed ceiling board b:Thickness 0.4mm c:Peal white color d:PE coating
Floor	Material	a: 18mm x1176x2810 fireproof cement fiber board; b: 1.6mm PVC flooring c: YX3-120-960 color steel underlayment board, 0.2mm thick
Door	Entry door	a: Steel door with stainless steel fireproof lock b:Size:W840mm×H2035mm, c: Color: White gray
Window	Outside window	60series plastic steel sliding window;front window W1120×H1100mm; rear window W1120×H1100mm including screen, 20mm white powder coating aluminum square tube guardrail, 4+9+4mm thick insulating glass, horizontal sliding;
Decoration	Interior corner	a: 0.45mm galvanized color steel plate b: Pearl white c: PE coating
Electrical system	Light	LED strip light ×2sets, 36W/set
	Socket	a: 10A five-hole socket ×3 b: 16A air-conditioning socket ×1 c: Reserve weak electric cassette x1 d: One-Button switch x1
	Concealed distribution box	32A×1
	Industrial plug	220V, 50Hz, 3P32A×1
	Wiring	a:Entry line 2x6 squares + 1*2.5 squares, b:Air-conditioning socket: 2x4 squares + 1x1.5 squares, c:Five-hole socket: 2x2.5 squares + 1x1.5 squares d:Lighting: 3x1.5 squares Tips: All plus white sheath tube





Flat pack Container House






-Flat pack Container House

• Rock wool core •



• Glass wool core •



< H-port sandwich panel >



< S-port sandwich panel >



< Plain polyurethane edged sandwich panel >



< S-port polyurethane edged sandwich panel >

01

Wallboard:

Materials: rock wool/glass wool
50mm; 75mm; 100mm; 125mm; 150mm

02

roof insulation layer:

glass wool 75mm; 100mm
Flammability is class A non-combustible

03

floor insulation:





glass wool 75mm
Flammability is class A non-combustible

04

Sandwich panel interface:

S-port sandwich panel
S-port polyurethane edged sandwich panel
Good insulation performance

-Flat pack Container House



Cennik kontenerów budowlanych

Ceny netto-VAT-23%

Product Name	Specification		Quantity (SET)	Total Price (USD)	Photos for reference
Detachable Container House	1. External dimension (LxWxH): 6055mm×2990mm×2760mm Internal dimension (LxWxH): 5930mm×2830mm×2430mm 2. Container Loading Arrangement: 16 sets per 40HQ		16	34.200 USD za 16 sztuk	
Flat-packing Container House	1. External dimension (LxWxH) 5900mm*2435mm*2896mm Internal dimension (LxWxH) 5749mm*2275mm*2540mm 2. Container Loading Arrangement: 8 sets per 40HQ		8	27.000 USD za 8 sztuk	
Z-type Folding Container House	<u>1. External dimension (LxWxH): 5900mm×2500mm×2470mm</u> <u>Internal dimension (LxWxH): 5780mm×2340mm×2280mm</u> <u>1) Steel door</u> <u>2) Plastic steel windows</u> 2. Container Loading Arrangement: 10 sets per 40HQ	—	10	— 30.000 USD za 10 sztuk	
Z-type Folding Container House2	1. External dimension (LxWxH): 5900mm×2500mm×2470mm Internal dimension (LxWxH): 5780mm×2340mm×2280mm 1) Aluminum Sliding door with double-layer glass Aluminum windows 2. Container Loading Arrangement: 10 sets per 40HQ		10	35.400 USD za 10 sztuk	

Realizacje budowlane

PROJECT CASE SHOW



▲ Manage office



▲ Staff office




▲ Anteroom



Conference room ▲

Multi-functional container house

PROJECT CASE SHOW



▲ Canteen



▲ Bathroom

PROJECT CASE SHOW



Substation in Bozhou City
Anhui Province




PROJECT CASE SHOW



Beijing Garden Expo Project



PROJECT CASE SHOW



<<<
Universal Beijing
Resort Project

PROJECT CASE SHOW



Jiugang Group
Project Department

Beijing Yanhua Tianzheng---Residential Areas for workers

Dongying Junyuan---Dormitory Building




PROJECT CASE SHOW



Shengli Oilfield Project
Dongying City
Shandong Province

✔ Beijing Airport Management Office Area



PROJECT CASE SHOW



State Grid Converter
Station Project



PROJECT CASE SHOW



<<<
Beijing Housing
Industrialization Base

PROJECT CASE SHOW



▲ Beijing Converter Station Project



▲ Prefabricated cabin for substation



Heze Substation Project

PROJECT CASE SHOW



Gansu Province
Jiayuguan Project



Electric Power
Vocational College

PROJECT CASE SHOW



<<<
Technology Park



<<<
Beijing Global
Theme Park

PROJECT CASE SHOW



Changsha Airport Project
Hunan Province



Huize School in Changsha
Hunan Province

PROJECT CASE SHOW



Office Building Project

✓ Tanzania Project



2022 Beijing Winter Olympics Project

PROJECT CASE SHOW



▲ Genting Snow Park

▼ Zhangjiakou City Competition Area



▲ Yanqing Competition Area



Personalized Customization--Hospital Projects

PROJECT CASE SHOW



<<<
Henan Luoyang
People's Hospital

Personalized Customization--School Projects

PROJECT CASE SHOW



Qinhuangdao Foreign
Affairs Vocational Tourism School




Qinhuangdao Geological
University



Personalized Customization--School Projects


PROJECT CASE SHOW



Beijing Kindergarten

Personalized Customization--Mobile fire station

PROJECT CASE SHOW



Personalized Customization

PROJECT CASE SHOW



✔ Hebei Paitianxia Logistics Port



✔ Sales office



Bird's Nest & Water Cube
Official Ticketing

✔ Firework house



Personalized Customization - Cultural and Tourism Aspects

PROJECT CASE SHOW



<<<
public restroom

✔ Beijing Bird's Nest Youth Community



✔ Tianjin Children's Facility Pro-construction Project



Permanent Modular Buildings - School

PROJECT CASE SHOW



Jiaguang Middle School
Hebei Province










Kontenery mieszkalne 37m²



Wymiary i rozmieszczenie pomieszczeń.



Wymiary zewnętrzne.



Cena 98.000 zł netto





Kolory kontenerów.

Wersja podstawowa.


Number	Configuration	Picture	Specification	
1	Bare Box		20 feet (5.9 meters*6.32 meters*2.48 meters)	cena netto-98.000 zł
			40 feet (11.8m*6.24m*2.4mm)	cena netto-160.000 zł

Wyposażenie dodatkowe

Number	Configuration	Picture	Specification	
1	Bare Box		20 feet (5.9 meters*6.32 meters*2.48 meters)	Proszę w tej tabeli zaznaczyć co Pani potrzebuje z tej tabeli.
			40 feet (11.8m*6.24m*2.4mm)	
2	Bedroom		1 bedroom (steel door)	
			2 bedrooms (steel door)	
			Aluminum wooden door	
3	Floor		2.0 thick floor glue	
			4mm thick SPC stone plastic board	


4	Carved Board		Metal engraving plate	
5	Integrated board		Integrated board (internal integrated wall panel, external color steel color)	
6	Window		Broken bridge aluminum casement window 930*930	
			Broken bridge external suspension 930*930 (need to be equipped with diamond mesh screen window)	
			Sliding up and down the screen window, King Kong mesh	
			Broken bridge aluminum grid window 1150*1150	
			Plastic steel window	
			Aluminum alloy sliding window 930*930	
7	Entrance door		Broken bridge flat opening double opening	
			Broken bridge push and pull	
8	Curtain wall		Aluminum floor-to-ceiling windows with broken bridges on 2 sides of the door (entire surface, excluding door)	
9	Top		Whole house roof/50 corrugated composite panels	
10	Balcony		With wood plastic floor	

11	Angle line		Top corner line, inner corner bamboo fiber, baseboard bamboo fiber (black or white) or aluminum alloy rose gold	
12	Electricity		External standard wire + socket	
13	Hydraulic lever		1 set of 4	
14	Winch		1 set of 2	
15	Bathroom		Toilet, wash basin, mirror cabinet	
			Bathroom tiles	
			Bathroom wall carbon crystal panel	
16	Shower room		Sliding door dry and wet separation	
17	Cupboard		L type	
			Wall cabinet	

Ceny Kontenery Budowlane								
N0.	Configuration	Picture	Specification	Price (USD) HQ20 1Psc	Price (USD) HQ40 1Psc	20 HQ 8pcs	40HQ 18pcs	Min order
1	Detachable Container		5950*3000*2800mm	2 280	2 027	18 242	36 484	20 HQ 8pcs/40HQ 18pcs
2	X Folding House		5800*2500*2470mm	x	2 690	x	32 274	40HQ 12pcs
3	Z Folding House		5900*2500*2470mm	x	3 508	x	35 081	40HQ 10pcs
4	Electricity			95				
5	Different Color for the appearance		Gray	142				
			Brown	142				
			White	142				
6	Different Color for the frame			59				
7	Thickness of Insulation (EPS or rock wool)		50mm	0				
			75mm	71				
			100mm	190				
8	Wheels			831				
10	Alloy			47				
11	Door-upgraded			59				
12	Double layer glass for one window			36				

Ilość złożonych kontenerów do transportu

NO.	Configuration	Picture	Packaging
1	Detachable Container		18 sztuk pakujemy do kontenera 40 HQ 8 sztuk pakujemy do kontenera 20 GP
2	X Folding House		12 sztuk pakujemy do kontenera 40 HQ
3	Z Folding House		10 sztuk pakujemy do kontenera 40 HQ
	20 feet Expandable House		2 sztuki pakujemy do kontenera 40 HQ
	40 feet Expandable House		1 sztukę pakujemy do kontenera 40 HQ

Ceny Kontenery Budowlane								
N0.	Configuration	Picture	Specification	Cena USD przy zakupie kontenera 20 HQ	Cena USD zakupie kontenera 40 HQ	20 HQ 8pcs	40HQ 18pcs	Minimalne zamówienie
1	Detachable Container		5950*3000*2800mm	2 280 przy zakupie 8 sztuk	2 027 przy zakupie 18 sztuk	18 242 cena za cały kontener 20 HQ	36 484 cena za cały kontener 40 HQ	20 HQ 8pcs/40HQ 18pcs
2	X Folding House		5800*2500*2470mm	x	2 690 przy zakupie 12 sztuk	x	32 274 cena za cały kontener 40 HQ	40HQ 12pcs
3	Z Folding House		5900*2500*2470mm	x	3 508 przy zakupie 10 sztuk	x	35 081 cena za cały kontener 40 HQ	40HQ 10pcs
4	Electricity			95				
5	Different Color for the appearance		Gray	142				
			Brown	142				
			White	142				
6	Different Color for the frame			59				
7	Thickness of Insulation (EPS or rock wool)		50mm	0				
			75mm	71				
			100mm	190				
8	Wheels			831				
10	Alloy			47				
11	Door-upgraded			59				
12	Double layer glass for one window			36				