

Generalny Przedstawiciel na Polsk i Europ P.P.U.H.Remix-Oil 39-320 Przecław ul.Wenecka 1/11 e-mail remixoil@op.pl tel. + 48 666-744-744



Building area: 17.9 m<sup>2</sup>

Length: 5.6m Width: 3.2m Height: 3.2m Occupancy: 2 people

Maximum Power: 6.7KW/8.2KW (with floor heating)

**Total Net Weight:** ≈4.5 tons

us \$14200



**G50** Building area:  $31.4\,\mathrm{m}^2$ 

Length: 9.5m Width: 3.3m Height: 3.2m Occupancy: 2 people

Maximum Power: 7.5KW / 12KW (with floor heating)

**Total Net Weight:** ≈6.5 tons

us \$2400



**G50F** Building area:  $31.4\,\mathrm{m}^2$ 

Length: 9.5m **Width:** 3.3m Height: 3.2m Occupancy: 2-4 people

Maximum Power: 7.5KW / 12KW (with floor heating)

**Total Net Weight:** ≈6.5 tons

us \$24300



Building area: 38.0 m²

Length: 11.5m **Width:** 3.3m Height: 3.2m Occupancy: 2-4 people

Maximum Power: 11.5KW / 17KW (with floor heating)

**Total Net Weight:** ≈8 tons

us \$28400




**G70F** Building area: 38.0 m²

Length: 11.5m **Width:** 3.3m Height: 3.2m Occupancy: 2-4 people

Maximum Power: 11.5KW / 17KW (with floor heating)

**Total Net Weight:** ≈8 tons

us \$29200



Building area: 30.0 m²


Length: 9.1m **Width:** 3.3m Height: 3.4m Occupancy: 2 people

Maximum Power: 10KW / 15KW (with floor heating)

**Total Net Weight:** ≈7 tons

us \$22700

**L50** 



Building area: 30.0 m²


Length: 9.1m **Width:** 3.3m Height: 3.4m Occupancy: 2 people

Maximum Power: 10KW / 15KW (with floor heating)

**Total Net Weight:** ≈7 tons

us \$23400

**L50F** 



Building area: 38.0 m² Length: 11.5m

**Width:** 3.3m Height: 3.4m Occupancy: 2-4 people

Maximum Power: 10KW / 15KW (with floor heating)

Total Net Weight: ≈8 tons

us \$26400



X50 Building area: 27.2 m²

Length: 8.5m **Width:** 3.2m Height: 3.2m Occupancy: 2 people

Maximum Power: 6.7KW / 8.2KW (with floor heating)

**Total Net Weight:** ≈6.5 tons

us \$21900



X60 Building area: 27.2 m²

Length: 8.5m Width: 3.2m Height: 3.2m Occupancy: 2 people

Maximum Power: 6.7KW / 8.2KW (with floor heating)

**Total Net Weight:** ≈6.5 tons

us \$22700



Building area: 36.8 m²

Length: 11.5m Width: 3.2m Height: 3.2m Occupancy: 2-4 people

Maximum Power: 9.9KW / 11.3KW (with floor heating)

**Total Net Weight:** ≈8 tons

us \$27400



X50+X70 Building area: 68.8 m²

Length: 10.0m Length: 11.5m Width: 3.2m Width: 3.2m Height: 3.2m Height: 3.2m Occupancy: 2-4 people

Maximum Power: 16.6KW / 19.5KW (with floor heating)

**Total Net Weight:** ≈14.5 tons

us \$51000





**A30** Building area: 15.7 m²

Length: 5.6m Width: 2.8m Height: 3.1m Occupancy: 2 people

Maximum Power: 6.7KW / 11.2KW (with floor heating)

**Total Net Weight:** ≈4 tons

us\$13300




**A50** Building area:  $31.4\,\mathrm{m}^2$ 

Length: 9.5m Width: 3.3m Height: 3.3m Occupancy: 2-4 people

Maximum Power: 6.7KW / 11.2KW (with floor heating)

**Total Net Weight:** ≈6.5 tons

us \$2000




**A70** Building area: 38.0 m²

Length: 11.5m **Width:** 3.3m Height: 3.3m Occupancy: 2-4 people

Maximum Power: 9.9KW / 15.4KW (with floor heating)

**Total Net Weight:** ≈8 tons

us \$24700



Length: 6.0m

**Width:** 2.15m Height: 2.5m Occupancy: 4 people

Maximum Power: 10KW / 16KW (with floor heating)

**Total Net Weight:** ≈9 tons

us \$31800




Length: 11.5m **Width:** 3.3m Height: 3.3m Occupancy: 2-4 people

Maximum Power: 9.9KW / 15.4KW (with floor heating)

**Total Net Weight:** ≈8 tons

us \$25300



Length: 11.5m **Width:** 3.3m Height: 3.3m

Maximum Power: 9.9KW / 15.4KW (with floor heating)

**Total Net Weight:** ≈8 tons

Occupancy: 2-4 people

us \$28300



Length: 13.5m **Width:** 3.3m Height: 3.3m Occupancy: 2-4 people

Maximum Power: 11.5KW / 17KW (with floor heating)

**Total Net Weight:** ≈9 tons

us \$32200



(Disassembled Type in 40HQ) Length: 6.5m **Width:** 3.48m

Height: 3.3m Occupancy: 2 people **Total Net Weight:** ≈4.3 tons

us \$23500



Building area: 31.1 m<sup>2</sup>

(Disassembled Type in 40HQ) Length: 8.9m

Width: 3.4m Height: 3.3m Occupancy: 2-4 people **Total Net Weight:** ≈5.5 tons

us \$3200




**SA70** Building area: 39.6 m² (Disassembled Type in 40HQ) Length: 11.3m

Width: 3.4m Height: 3.3m Occupancy: 2-4 people

Maximum Power: 8KW / 13KW (with floor heating)

**Total Net Weight:** ≈6.7 tons

us \$4000



Building area: 30.6 m²

Length: 8.5m **Width:** 3.6m Height: 3.2m Occupancy: 2 people

**Maximum Power:** 6.7KW / 11.2KW (with floor heating)

**Total Net Weight:** ≈5 tons

us\$17600

**U30** 



Building area: 33.1 m²


**U50** 

Length: 9.2m Width: 3.6m Height: 3.2m Occupancy: 2-4 people

Maximum Power: 6.7KW / 11.2KW (with floor heating)

**Total Net Weight:** ≈6 tons

us \$21600



Length: 2.3m Width: 2.2m Height: 2.5m Occupancy: 1 people

Maximum Power: 5KW (with floor heating)

**Total Net Weight:** ≈3 tons

us \$5500



Building area: 19.1 m²

Length: 5.6m Width: 3.4m Height: 3.4m Occupancy: 2 people

Maximum Power: 6.7KW / 11.2KW (with floor heating)

**Total Net Weight:** ≈4 tons

us\$17000




Building area: 32.3 m²

Length: 9.5m Width: 3.4m Height: 3.4m Occupancy: 2-4 people

Maximum Power: 6.7KW / 11.2KW (with floor heating)

**Total Net Weight:** ≈6.5 tons

us \$26300



Building area: 39.1 m²

Length: 11.5m Width: 3.4m Height: 3.4m Occupancy: 4 people

Maximum Power: 9.9KW / 15.4KW (with floor heating)

**Total Net Weight:** ≈8 tons

us \$33580

**W9** 



Length: 9.1 m (Disassembled Type in 40HQ)

**Width:** 3.3 m Height: 3.2m Occupancy: 2 people **Total Net Weight:** ≈6 tons

us \$28000



Length: 11.5m (Disassembled Type in 40HQ)

Width: 3.2m Height: 3.3m Occupancy: 4 people **Total Net Weight:** ≈6 tons


us \$35000



Building area: 19.63/28.3 m<sup>2</sup> **B10** 

Size:5\*3m / 6\*3.5m Main frame: 26\*1.5mm galvanized steel pipe Waterproof index: WP8000 Top Cover: 850g/sqm block out PVC Temperature load: -20°C - 50°C

US\$1700 (5\*3m) US\$2100 (6\*3.5m)



Building area: 19.63/28.3 m<sup>2</sup> **B30** 

Size:5\*3m / 6\*3.5m

Main frame: 40x2.0mm strongaluminium frame

Waterproof index: WP12000

**Top Cover:** 5+9+5mm double-tempered glass

Temperature load: -20°C - 50°C

Frame color: White

US\$10500 (6\*3.5m) us**\$8500** 

Frame color: White/Customized

# Przykładowa kalkulacja domku capsułowego 38m2 zakup w porcie Szanghaj



## Wyposażenie:

- umeblowana kuchnia
- umeblowana łazienka
- 2 klimatyzatory
- bojler 60l na wodę
- ogrzewanie podłogowe
- automatycznie zasłaniane kurtyny

## Wymiary:

- długość 1150 cm
- szerokość 330 cm
- wysokość 330 cm

Cena domku 38m2 107.000 zł

Transport morski Szanghaj-Gdańsk 45.000 zł Cło plus vat-23% 38.000 zł

Cena brutto-190.000 zł

VAT do odliczenia w firmie.Tak tanio tylko u Nas)

Przykładowa kalkulacja na dzień 06.08.2025 Cena 1 USD-3.68 zł



## MODEL: G30


(Length 5600mm, Width 3600mm, Height 3200mm)

Floor Area: 18m<sup>2</sup>

Occupancy: 2 people

Maximum Power: 8KW (with floor heating)

**Total Net Weight:** ≈4 tons





#### **Interior Finishes:**

Integrated ceiling and wall modules Stone plastic composite flooring Privacy glass door for bathroom Marble or ceramic tile bathroom flooring Vanity, sink, and bathroom mirror Coat hooks, shower storage rack, towel rack Toilet, faucet, showerhead, floor drain Full-house lighting system

Complete water and electrical system Standard blackout curtains Heating and cooling air conditioning Electric water heater Fresh air ventilation system Full-house insect screens on doors Electric floor heating

### External Enclosure System:

Galvanized steel structural framing system Fluorocarbon-coated aluminum alloy exterior modules Insulation, waterproof, and moisture-proof construction system Triple-pane tempered glass windows Triple-layer laminated tempered glass skylight Painted stainless steel hinged entrance door Eco-friendly polyurethane thickened insulation system Panoramic balcony

#### **Guest Control System:**

Card insertion power activation / card removal power cutoff panel Multi-scenario mode function panel Integrated control for lighting and curtains Smart voice control Hotel smart access control system

#### Hard Furniture:

Wardrobe Bar counter

#### **Product Accessories:**

Supporting legs at the base

Lifting rings / transportation fasteners / transport packaging

#### Value-Added Configuration Package:

Electric heating system for water supply pipes Induction cooker / range hood

Mini refrigerator

Custom furniture: cabinets / wall cabinets

Three-in-one bathroom fixture for lighting, ventilation, and heating Entrance staircase






## MODEL: G50

(Length 9500mm, Width 3300mm, Height 3200mm)

Floor Area: 31.4m<sup>2</sup>
Occupancy: 2 people

Maximum Power: 7.5KW / 12KW (with floor heating)

**Total Net Weight:** ≈7 tons





#### Interior Finishes:

Integrated ceiling and wall modules

Stone plastic composite flooring

Privacy glass door for bathroom

Marble or ceramic tile bathroom flooring

Vanity, sink, and bathroom mirror

Coat hooks, shower storage rack, towel rack

Toilet, faucet, showerhead, floor drain

Full-house lighting system

Complete water and electrical system
Standard blackout curtains
Heating and cooling air conditioning
Electric water heater
Fresh air ventilation system
Full-house insect screens on doors
Electric floor heating

### External Enclosure System:

Galvanized steel structural framing system
Fluorocarbon-coated aluminum alloy exterior modules
Insulation, waterproof, and moisture-proof construction system
Triple-pane tempered glass windows
Triple-layer laminated tempered glass skylight
Painted stainless steel hinged entrance door
Eco-friendly polyurethane thickened insulation system
Panoramic balcony

#### Guest Control System:

Card insertion power activation / card removal power cutoff panel
Multi-scenario mode function panel
Integrated control for lighting and curtains
Smart voice control
Hotel smart access control system

#### Hard Furniture:


Wardrobe Bar counter

#### **Product Accessories:**

Supporting legs at the base
Lifting rings / transportation fasteners / transport packaging

#### Value-Added Configuration Package:






### MODEL: G50F

(Length 9500mm, Width 3300mm, Height 3200mm)

Floor Area: 31.4m<sup>2</sup>
Occupancy: 2 people

Maximum Power: 7.5KW / 12KW (with floor heating

**Total Net Weight:** ≈7 tons





### Interior Finishes:

Integrated ceiling and wall modules

Stone plastic composite flooring

Privacy glass door for bathroom

Marble or ceramic tile bathroom flooring

Vanity, sink, and bathroom mirror

Coat hooks, shower storage rack, towel rack

Toilet, faucet, showerhead, floor drain

Full-house lighting system

Complete water and electrical system
Standard blackout curtains
Heating and cooling air conditioning
Electric water heater
Fresh air ventilation system
Full-house insect screens on doors
Electric floor heating

#### External Enclosure System:

Galvanized steel structural framing system
Fluorocarbon-coated aluminum alloy exterior modules
Insulation, waterproof, and moisture-proof construction system
Triple-pane tempered glass windows
Triple-layer laminated tempered glass skylight
Painted stainless steel hinged entrance door
Eco-friendly polyurethane thickened insulation system
Panoramic balcony

#### Guest Control System:

Card insertion power activation / card removal power cutoff panel
Multi-scenario mode function panel
Integrated control for lighting and curtains
Smart voice control
Hotel smart access control system

#### Hard Furniture:

Wardrobe Bar counter

#### **Product Accessories:**

Supporting legs at the base
Lifting rings / transportation fasteners / transport packaging

#### Value-Added Configuration Package:





## MODEL: G70


(Length 11500mm, Width 3300mm, Height 3200mm)

Floor Area: 38m<sup>2</sup>

Occupancy: 2-4 people

Maximum Power: 11.5KW / 17KW (with floor heating)

**Total Net Weight:** ≈9 tons





#### Interior Finishes:

Integrated ceiling and wall modules

Stone plastic composite flooring

Privacy glass door for bathroom

Marble or ceramic tile bathroom flooring

Vanity, sink, and bathroom mirror

Coat hooks, shower storage rack, towel rack

Toilet, faucet, showerhead, floor drain

Full-house lighting system

Complete water and electrical system
Standard blackout curtains
Heating and cooling air conditioning
Electric water heater
Fresh air ventilation system
Full-house insect screens on doors
Electric floor heating

### External Enclosure System:

Galvanized steel structural framing system
Fluorocarbon-coated aluminum alloy exterior modules
Insulation, waterproof, and moisture-proof construction system
Triple-pane tempered glass windows
Triple-layer laminated tempered glass skylight
Painted stainless steel hinged entrance door
Eco-friendly polyurethane thickened insulation system
Panoramic balcony

#### Guest Control System:

Card insertion power activation / card removal power cutoff panel
Multi-scenario mode function panel
Integrated control for lighting and curtains
Smart voice control
Hotel smart access control system

#### Hard Furniture:

Wardrobe Bar counter

#### **Product Accessories:**

Supporting legs at the base
Lifting rings / transportation fasteners / transport packaging

#### Value-Added Configuration Package:

Electric heating system for water supply pipes
Induction cooker / range hood
Mini refrigerator

Custom furniture: cabinets / wall cabinets

Three-in-one bathroom fixture for lighting, ventilation, and heating Entrance staircase





### MODEL: G70F


(Length 11500mm, Width 3300mm, Height 3200mm)

Floor Area: 38m<sup>2</sup>

Occupancy: 2-4 people

Maximum Power: 11.5KW / 17KW (with floor heating)

**Total Net Weight:** ≈9 tons





### Interior Finishes:

Integrated ceiling and wall modules

Stone plastic composite flooring

Privacy glass door for bathroom

Marble or ceramic tile bathroom flooring

Vanity, sink, and bathroom mirror

Coat hooks, shower storage rack, towel rack

Toilet, faucet, showerhead, floor drain

Full-house lighting system

Complete water and electrical system
Standard blackout curtains
Heating and cooling air conditioning
Electric water heater
Fresh air ventilation system
Full-house insect screens on doors
Electric floor heating

### External Enclosure System:

Galvanized steel structural framing system
Fluorocarbon-coated aluminum alloy exterior modules
Insulation, waterproof, and moisture-proof construction system
Triple-pane tempered glass windows
Triple-layer laminated tempered glass skylight
Painted stainless steel hinged entrance door
Eco-friendly polyurethane thickened insulation system
Panoramic balcony

#### Guest Control System:

Card insertion power activation / card removal power cutoff panel
Multi-scenario mode function panel
Integrated control for lighting and curtains
Smart voice control
Hotel smart access control system

#### Hard Furniture:

Wardrobe Bar counter


#### **Product Accessories:**

Supporting legs at the base

Lifting rings / transportation fasteners / transport packaging

#### Value-Added Configuration Package:





### MODEL: L50


(Length 9100mm, Width 3300mm, Height 3400mm)

Floor Area: 30m<sup>2</sup>

Occupancy: 2 people

Maximum Power: 10KW / 15KW (with floor heating)

Total Net Weight: ≈8 tons





#### Interior Finishes:

Integrated ceiling and wall modules

Stone plastic composite flooring

Privacy glass door for bathroom

Marble or ceramic tile bathroom flooring

Vanity, sink, and bathroom mirror

Coat hooks, shower storage rack, towel rack

Toilet, faucet, showerhead, floor drain

Full-house lighting system

Complete water and electrical system
Standard blackout curtains
Heating and cooling air conditioning
Electric water heater
Fresh air ventilation system
Full-house insect screens on doors
Electric floor heating

### External Enclosure System:

Galvanized steel structural framing system

Fluorocarbon-coated aluminum alloy exterior modules

Insulation, waterproof, and moisture-proof construction system

Triple-pane tempered glass windows

Triple-layer laminated tempered glass skylight

Painted stainless steel hinged entrance door

Eco-friendly polyurethane thickened insulation system

Panoramic balcony

#### Guest Control System:

Card insertion power activation / card removal power cutoff panel
Multi-scenario mode function panel
Integrated control for lighting and curtains
Smart voice control
Hotel smart access control system

#### Hard Furniture:

Wardrobe Bar counter

#### Product Accessories:


Supporting legs at the base
Lifting rings / transportation fasteners / transport packaging

#### Value-Added Configuration Package:

Electric heating system for water supply pipes
Mini refrigerator
Custom furniture: cabinets / wall cabinets

Three-in-one bathroom fixture for lighting, ventilation, and heating





## MODEL: L50F


(Length 9100mm, Width 3300mm, Height 3400mm)

Floor Area: 30m²

Occupancy: 2 people

Maximum Power: 10KW / 15KW (with floor heating)

Total Net Weight: ≈8 tons





#### Interior Finishes:

Integrated ceiling and wall modules

Stone plastic composite flooring

Privacy glass door for bathroom

Marble or ceramic tile bathroom flooring

Vanity, sink, and bathroom mirror

Coat hooks, shower storage rack, towel rack

Toilet, faucet, showerhead, floor drain

Full-house lighting system

Complete water and electrical system
Standard blackout curtains
Heating and cooling air conditioning
Electric water heater
Fresh air ventilation system
Full-house insect screens on doors
Electric floor heating

#### External Enclosure System:

Galvanized steel structural framing system

Fluorocarbon-coated aluminum alloy exterior modules

Insulation, waterproof, and moisture-proof construction system

Triple-pane tempered glass windows

Triple-layer laminated tempered glass skylight

Painted stainless steel hinged entrance door

Eco-friendly polyurethane thickened insulation system

Panoramic balcony

#### Guest Control System:

Card insertion power activation / card removal power cutoff panel
Multi-scenario mode function panel
Integrated control for lighting and curtains
Smart voice control
Hotel smart access control system

#### Hard Furniture:

Wardrobe Bar counter

#### Product Accessories:

Supporting legs at the base
Lifting rings / transportation fasteners / transport packaging

#### Value-Added Configuration Package:

Electric heating system for water supply pipes

Mini refrigerator

Custom furniture: cabinets / wall cabinets

Three-in-one bathroom fixture for lighting, ventilation, and heating





## MODEL: L70


(Length 11500mm, Width 3300mm, Height 3400mm)

Floor Area: 38m<sup>2</sup>

Occupancy: 2-4 people

Maximum Power: 10KW / 15KW (with floor heating)

Total Net Weight: ≈8 tons





#### Interior Finishes:

Integrated ceiling and wall modules

Stone plastic composite flooring

Privacy glass door for bathroom

Marble or ceramic tile bathroom flooring

Vanity, sink, and bathroom mirror

Coat hooks, shower storage rack, towel rack

Toilet, faucet, showerhead, floor drain

Full-house lighting system

Complete water and electrical system
Standard blackout curtains
Heating and cooling air conditioning
Electric water heater
Fresh air ventilation system
Full-house insect screens on doors
Electric floor heating

#### External Enclosure System:

Galvanized steel structural framing system
Fluorocarbon-coated aluminum alloy exterior modules
Insulation, waterproof, and moisture-proof construction system
Triple-pane tempered glass windows
Triple-layer laminated tempered glass skylight
Painted stainless steel hinged entrance door
Eco-friendly polyurethane thickened insulation system
Panoramic balcony

#### Guest Control System:

Card insertion power activation / card removal power cutoff panel
Multi-scenario mode function panel
Integrated control for lighting and curtains
Smart voice control
Hotel smart access control system

#### Hard Furniture:

Wardrobe Bar counter

#### Product Accessories:

Supporting legs at the base
Lifting rings / transportation fasteners / transport packaging

#### Value-Added Configuration Package:

Electric heating system for water supply pipes

Mini refrigerator

Custom furniture: cabinets / wall cabinets

Three-in-one bathroom fixture for lighting, ventilation, and heating






## MODEL: A30

(Length 5600mm, Width 2800mm, Height 3100mm)

Floor Area: 15.7m<sup>2</sup>
Occupancy: 2 people

Maximum Power: 6.7KW / 11.2KW (with floor heating)

**Total Net Weight:** ≈5 tons





#### Interior Finishes:

Integrated ceiling and wall modules

Stone plastic composite flooring

Privacy glass door for bathroom

Marble or ceramic tile bathroom flooring

Vanity, sink, and bathroom mirror

Coat hooks, shower storage rack, towel rack

Toilet, faucet, showerhead, floor drain

Full-house lighting system

Complete water and electrical system
Standard blackout curtains
Heating and cooling air conditioning
Electric water heater
Fresh air ventilation system
Full-house insect screens on doors
Electric floor heating

### External Enclosure System:

Galvanized steel structural framing system
Fluorocarbon-coated aluminum alloy exterior modules
Insulation, waterproof, and moisture-proof construction system
Triple-pane tempered glass windows
Triple-layer laminated tempered glass skylight
Painted stainless steel hinged entrance door
Eco-friendly polyurethane thickened insulation system
Panoramic balcony

#### Guest Control System:

Card insertion power activation / card removal power cutoff panel
Multi-scenario mode function panel
Integrated control for lighting and curtains
Smart voice control
Hotel smart access control system

#### Hard Furniture:

Wardrobe Bar counter

#### Product Accessories:

Supporting legs at the base
Lifting rings / transportation fasteners / transport packaging

#### Value-Added Configuration Package:

Electric heating system for water supply pipes

Three-in-one bathroom fixture for lighting, ventilation, and heating Entrance staircase





## MODEL: A50


(Length 9500mm, Width 3300mm, Height 3300mm)

Floor Area: 31.4m<sup>2</sup>

Occupancy: 2-4 people

Maximum Power: 6.7KW / 11.2KW (with floor heating)

**Total Net Weight:** ≈7 tons





#### Interior Finishes:

Integrated ceiling and wall modules

Stone plastic composite flooring

Privacy glass door for bathroom

Marble or ceramic tile bathroom flooring

Vanity, sink, and bathroom mirror

Coat hooks, shower storage rack, towel rack

Toilet, faucet, showerhead, floor drain

Full-house lighting system

Complete water and electrical system
Standard blackout curtains
Heating and cooling air conditioning
Electric water heater
Fresh air ventilation system
Full-house insect screens on doors
Electric floor heating

### External Enclosure System:

Galvanized steel structural framing system

Fluorocarbon-coated aluminum alloy exterior modules

Insulation, waterproof, and moisture-proof construction system

Triple-pane tempered glass windows

Triple-layer laminated tempered glass skylight

Painted stainless steel hinged entrance door

Eco-friendly polyurethane thickened insulation system

Panoramic balcony

#### Guest Control System:

Card insertion power activation / card removal power cutoff panel
Multi-scenario mode function panel
Integrated control for lighting and curtains
Smart voice control
Hotel smart access control system

#### Hard Furniture:

Wardrobe Bar counter

#### **Product Accessories:**

Supporting legs at the base
Lifting rings / transportation fasteners / transport packaging

#### Value-Added Configuration Package:

Electric heating system for water supply pipes Induction cooker / range hood

Mini refrigerator

Custom furniture: cabinets, wall cabinets, wardrobes, bar counter
Three-in-one bathroom fixture for lighting, ventilation, and heating
Entrance staircase





## MODEL: A70


(Length 11500mm, Width 3300mm, Height 3300mm)

Floor Area: 38m<sup>2</sup>

Occupancy: 2-4 people

Maximum Power: 9.9KW / 15.4KW (with floor heating

**Total Net Weight:** ≈9 tons





#### Interior Finishes:

Integrated ceiling and wall modules

Stone plastic composite flooring

Privacy glass door for bathroom

Marble or ceramic tile bathroom flooring

Vanity, sink, and bathroom mirror

Coat hooks, shower storage rack, towel rack

Toilet, faucet, showerhead, floor drain

Full-house lighting system

Complete water and electrical system
Standard blackout curtains
Heating and cooling air conditioning
Electric water heater
Fresh air ventilation system
Full-house insect screens on doors
Electric floor heating

### External Enclosure System:

Galvanized steel structural framing system
Fluorocarbon-coated aluminum alloy exterior modules
Insulation, waterproof, and moisture-proof construction system
Triple-pane tempered glass windows
Triple-layer laminated tempered glass skylight
Painted stainless steel hinged entrance door
Eco-friendly polyurethane thickened insulation system
Panoramic balcony

#### Guest Control System:

Card insertion power activation / card removal power cutoff panel
Multi-scenario mode function panel
Integrated control for lighting and curtains
Smart voice control
Hotel smart access control system

#### Hard Furniture:

Wardrobe Bar counter

#### **Product Accessories:**

Supporting legs at the base
Lifting rings / transportation fasteners / transport packaging

#### Value-Added Configuration Package:

Electric heating system for water supply pipes
Induction cooker / range hood
Mini refrigerator
Custom furniture: cabinets, wall cabinets, wardrobes, bar counter

Three-in-one bathroom fixture for lighting, ventilation, and heating Entrance staircase





### MODEL: M50

(Length 9500mm, Width 3200mm, Height 3200mm)


Floor Area: 30.4m<sup>2</sup>

Occupancy: 2-4 people

Maximum Power: 6.7KW / 11.2KW (with floor heating)

**Total Net Weight:** ≈7 tons





#### Interior Finishes:

Integrated ceiling and wall modules

Stone plastic composite flooring

Privacy glass door for bathroom

Marble or ceramic tile bathroom flooring

Vanity, sink, and bathroom mirror

Coat hooks, shower storage rack, towel rack

Toilet, faucet, showerhead, floor drain

Full-house lighting system

Complete water and electrical system
Standard blackout curtains
Heating and cooling air conditioning
Electric water heater
Fresh air ventilation system
Full-house insect screens on doors
Electric floor heating

#### External Enclosure System:

Galvanized steel structural framing system

Fluorocarbon-coated aluminum alloy exterior modules

Insulation, waterproof, and moisture-proof construction system

Triple-pane tempered glass windows

Triple-layer laminated tempered glass skylight

Painted stainless steel hinged entrance door

Eco-friendly polyurethane thickened insulation system

Panoramic balcony

#### Guest Control System:

Card insertion power activation / card removal power cutoff panel
Multi-scenario mode function panel
Integrated control for lighting and curtains
Smart voice control
Hotel smart access control system

#### Hard Furniture:

Wardrobe Bar counter

#### Product Accessories:

Entrance staircase

Supporting legs at the base

Lifting rings / transportation fasteners / transport packaging

#### Value-Added Configuration Package:





## MODEL: M70

(Length 11500mm, Width 3200mm, Height 3200mm)

Floor Area: 36.8m<sup>2</sup>

Occupancy: 2-4 people

Maximum Power: 10KW / 15KW (with floor heating)

**Total Net Weight:** ≈9 tons





### Interior Finishes:

Integrated ceiling and wall modules

Stone plastic composite flooring

Privacy glass door for bathroom

Marble or ceramic tile bathroom flooring

Vanity, sink, and bathroom mirror

Coat hooks, shower storage rack, towel rack

Toilet, faucet, showerhead, floor drain

Full-house lighting system

Complete water and electrical system
Standard blackout curtains
Heating and cooling air conditioning
Electric water heater
Fresh air ventilation system
Full-house insect screens on doors
Electric floor heating

### External Enclosure System:

Galvanized steel structural framing system
Fluorocarbon-coated aluminum alloy exterior modules
Insulation, waterproof, and moisture-proof construction system
Triple-pane tempered glass windows
Triple-layer laminated tempered glass skylight
Painted stainless steel hinged entrance door
Eco-friendly polyurethane thickened insulation system
Panoramic balcony

#### Guest Control System:

Card insertion power activation / card removal power cutoff panel
Multi-scenario mode function panel
Integrated control for lighting and curtains
Smart voice control
Hotel smart access control system

#### Hard Furniture:

Wardrobe Bar counter

#### Product Accessories:

Entrance staircase

Supporting legs at the base
Lifting rings / transportation fasteners / transport packaging

#### Value-Added Configuration Package:





## MODEL: U30


(Length 8500mm, Width 3600mm, Height 3200mm)

Floor Area: 30.6m<sup>2</sup>

Occupancy: 2-4 people

Maximum Power: 6.7KW / 11.2KW (with floor heating)

**Total Net Weight:** ≈6 tons





#### Interior Finishes:

Integrated ceiling and wall modules

Stone plastic composite flooring

Privacy glass door for bathroom

Marble or ceramic tile bathroom flooring

Vanity, sink, and bathroom mirror

Coat hooks, shower storage rack, towel rack

Toilet, faucet, showerhead, floor drain

Full-house lighting system

Complete water and electrical system
Standard blackout curtains
Heating and cooling air conditioning
Electric water heater
Fresh air ventilation system
Full-house insect screens on doors
Electric floor heating

#### External Enclosure System:

Galvanized steel structural framing system

Fluorocarbon-coated aluminum alloy exterior modules

Insulation, waterproof, and moisture-proof construction system

Triple-pane tempered glass windows

Triple-layer laminated tempered glass skylight

Painted stainless steel hinged entrance door

Eco-friendly polyurethane thickened insulation system

Panoramic balcony

#### Guest Control System:

Card insertion power activation / card removal power cutoff panel
Multi-scenario mode function panel
Integrated control for lighting and curtains
Smart voice control
Hotel smart access control system

#### Hard Furniture:

Wardrobe Bar counter

#### Product Accessories:

Supporting legs at the base
Lifting rings / transportation fasteners / transport packaging

#### Value-Added Configuration Package:





## MODEL: U50


(Length 9200mm, Width 3600mm, Height 3200mm)

Floor Area: 33.1m<sup>2</sup>

Occupancy: 2-4 people

Maximum Power: 6.7KW / 11.2KW (with floor heating)

**Total Net Weight:** ≈7 tons





#### Interior Finishes:

Integrated ceiling and wall modules

Stone plastic composite flooring

Privacy glass door for bathroom

Marble or ceramic tile bathroom flooring

Vanity, sink, and bathroom mirror

Coat hooks, shower storage rack, towel rack

Toilet, faucet, showerhead, floor drain

Full-house lighting system

Complete water and electrical system
Standard blackout curtains
Heating and cooling air conditioning
Electric water heater
Fresh air ventilation system
Full-house insect screens on doors
Electric floor heating

#### External Enclosure System:

Galvanized steel structural framing system

Fluorocarbon-coated aluminum alloy exterior modules

Insulation, waterproof, and moisture-proof construction system

Triple-pane tempered glass windows

Triple-layer laminated tempered glass skylight

Painted stainless steel hinged entrance door

Eco-friendly polyurethane thickened insulation system

Panoramic balcony

#### Guest Control System:

Card insertion power activation / card removal power cutoff panel
Multi-scenario mode function panel
Integrated control for lighting and curtains
Smart voice control
Hotel smart access control system

#### Hard Furniture:

Wardrobe Bar counter

#### **Product Accessories:**

Supporting legs at the base
Lifting rings / transportation fasteners / transport packaging

#### Value-Added Configuration Package:















Tiny House, our interiors reflect a wide spectrum of carefully curated styles to suit diverse tastes and needs. Drawing inspiration from classic European elegance, the warmth of natural wood elements, and the sleek lines of minimalist luxury, each design creates a unique ambiance tailored for refined living. Every style choice integrates functionality and aesthetics, ensuring that each space is as inviting as it is sophisticated. Our design philosophy centers on crafting an elevated experience, where style and comfort meet seamlessly in every tiny home.



### STANDARD FUNCTION

Intelligent control panel

Air conditioner

Integrated sound system

Ground floodlight belt


Ceiling light belt

window frame lighting belt

**Ambiance** 、light belt

Automatic curtain

Simple bar



### **OPTIONAL FUNCTION**

Panoramic electric atomized glass

Skylight (with curtain)

Electric floor heating

> Automatic projection screen

